

1908

PEACE RIVER DISTRICT

A horizontal number line with tick marks at 10, 20, 30, and 40. The line is labeled with these numbers above the tick marks.

James White F.R.G.S., Geographer

Special edition prepared under the direction of R.E. Young, D. L. S.
Superintendent of Railway and Swamp Lands, showing lands
finally disposed of.

CORRECTED TO FEBRUARY 1ST 1908

LEGEND

Homesteads	Homesteads patented to Feb. 1 st 1908
	Homesteads unpatented entered prior to 1907
	Homesteads entered between Jan. 1 st 1907 and Feb. 1 st 1908
	Even-numbered and odd-numbered sections patented or finally disposed of otherwise than as homesteads.
	Indian Reserves surrendered and sold
	Timber Berths
	Known outcrops of Tar Sands

BORINGS FOR PETROLEUM

- 1 Victoria bore-hole carried to depth of 1840; boring stopped by wedging of casing/tar sands probably at depth of 2100'
- 2 Athabasca Landing bore-hole carried to depth of 1770; boring stopped by wedging of casing/tar sands probably at depth of 1800'
- 3 Pelican River bore-hole carried to depth of 837'-through 87' of tar sands-boring stopped by very heavy flow of natural gas.

Notes respecting "bar sands" from Report by Mr. R. G. McConnell, Geological Survey

PEACE RIVER BLOCK
350,000 Acres
Conveyed by the Province of British Columbia
to the Dominion Government







PEACE RIVER BLOCK
3,500,000 Acres
Conveyed by the Province of British Columbia
to the Dominion Government



UAA-1974-169-9/2/6/7/29-001
UNIVERSITY OF ALABAMA
ARCHIVES
ACCESSION NO. 74-169
REFERENCE NO. 9/2/6/7/30



120° 119° 118° 117° 116° 115° 114° 113° 112°

Department of the Interior

HONOURABLE FRANK OLIVER, MINISTER

W.W. CORY, DEPUTY MINISTER

1908

NORTHERN ALBERTA

PEACE RIVER DISTRICT

Scale 1:800000 or 12.62 Miles to 1 Inch



James White F.R.G.S., Geographer

LEGEND

- Indian Reserves
- Timber Berths
- Known outcrops of Tar Sands
- Mounted Police Stations
- Coal Seams
- Area underlain by Coal-bearing rocks

BORINGS FOR PETROLEUM

- 1 Victoria bore-hole carried to depth of 1840'; boring stopped by wedging of casing; tar-sands probably at depth of 2100'.
- 2 Athabasca Landing bore-hole carried to depth of 1770'; boring stopped by wedging of casing; tar-sands probably at depth of 1800'.
- 3 Peace River bore-hole carried to depth of 837' through 87' of tar-sands; boring stopped by very heavy flow of natural gas.

Notes respecting tar-sands from Report by Mr. R.G.M. Connell, Geological Survey

Preliminary Edition



Department of the Interior

HONOURABLE FRANK OLIVER, MINISTER
W.W. CORY, DEPUTY MINISTER

1908

NORTHERN ALBERTA

PEACE RIVER DISTRICT

Scale: 1:800,000 or 12.62 Miles to 1 Inch

James White F.R.G.S., Geographer

LEGEND

- Indian Reserves
- Timber Berths
- Known outcrops of Tar Sands
- Mounted Police Stations
- Coal Seams
- Area underlain by Coal-bearing rocks

BORINGS FOR PETROLEUM

- 1 Victoria bore-hole carried to depth of 1840; boring stopped by wedging of casing; tar sands probably at depth of 2100.
- 2 Athabasca Landing bore-hole carried to depth of 1770; boring stopped by wedging of casing; tar sands probably at depth of 1800.
- 3 Pelican River bore-hole carried to depth of 837; through 87' of tar sands; boring stopped by very heavy flow of natural gas.

Notes respecting tar sands from Report by Mr. R.G.M. Cannell, Geological Survey

Preliminary Edition

CLEAR HILLS
2600' to 3500' high

Hills 2300' to 2





PEACE RIVER BLOCK
3,500,000 Acres
Conveyed by the Province of British Columbia
to the Dominion Government

Boundary between Alberta and British Columbia







NORTHERN ALBERTA

PEACE RIVER DISTRICT

Department of the Interior

Geographical Names Commission

1908

Scale: 1 inch = 10 miles

Projection: Transverse Mercator

Source: Survey of Canada

Notes: This map is based on the latest available data and is subject to change as more information becomes available.

Geographical Names Commission

1908
1:100,000
N. 1000



